



# IBIS Activities

Bob Ross  
European IBIS Summit  
Hildesheim, Germany

May 12, 2010  
[bob@teraspeed.com](mailto:bob@teraspeed.com)



# IBIS Organization

- Officers
  - Chair: **Bob Ross**, Teraspeed Consulting Group
  - Vice-Chair: **Lance Wang**, IO Methodology
  - Secretary: **Randy Wolff**, Micron Technology
  - Webmaster: **Syed Huq**, Cisco Systems
  - Postmaster: **Mike LaBonte**, Cisco Systems
  - Librarian: **Anders Ekholm**, Ericsson
- Active task groups
  - **IBIS Model Review** – Free review service
  - **Quality** - IBIS Quality Specification, correlation
  - **Interconnect** - Touchstone Spec., ICM, MCP
  - **Advanced Technology Modeling** - AMI work

# “ibischk5” Parser (2009)

- Ibischk5, Version 5.0.3
  - Free executables: <http://www.eda.org/pub/ibis/ibischk5/>
  - Supports IBIS Version 5.0 (ratified 2008)
    - Algorithmic model interface for Serdes analysis
    - Power delivery system SSO and gate modulation
    - EMI parameters
    - Other – (area based thresholds)
- Checks all [IBIS Ver]s of IBIS files
- Over \$100,000 of contracted work since 1993
- Supports .ibs, .pkg, .ebd, and .ami formats directly or through linkages



# New Flags in ibischk5

```
Usage: ibischk5      <IBS filename>
       : ibischk5 -ebd <EBD filename>
       : ibischk5 -pkq <PKG filename>
       : ibischk5 -ami <AMI filename>
Usage: ibischk5 -caution -numbered      <IBS filename>
       : ibischk5 -caution -numbered -ebd <EBD filename>
       : ibischk5 -caution -numbered -pkg <PKG filename>
       : ibischk5 -caution -numbered -ami <AMI filename>
```

The flags prior to the file name can be in any order, and the -caution and/or -numbered flags are optional.

- **-ami** for <file\_name>.ami (algorithmic model interface control file)
- **-numbered** for numbered Error, Warning, Notes and Caution messages



# **ibischk5 {-numbered} –ami file4.ami**

```
Checking file4.ami for IBIS 5.0 Compatibility...
```

```
ERROR - Illegal Usage value A specified for Param1  
ERROR - Illegal Type value B specified for Param1  
ERROR - Illegal Format value C specified for Param1  
ERROR - No Reserved_Parameters found
```

```
Errors : 4
```

```
File Failed
```

```
Checking file4.ami for IBIS 5.0 Compatibility...
```

```
E4627 - Illegal Usage value A specified for Param1  
E4627 - Illegal Type value B specified for Param1  
E4627 - Illegal Format value C specified for Param1  
E4622 - No Reserved_Parameters found
```

```
Errors : 4
```

```
File Failed
```



# “tschk2” Parser (2009)

- Checks Touchstone Version 1.0 (TS1) and Version 2.0 (TS2)
  - Error and Warning numbers
  - Free executables: <http://www.eda.org/pub/ibis/tschk2/>
- Converts TS1 to TS2, TS2 to TS1 where practical with **-canonical\*** flags
- Provides comment headers and real, imaginary format (RI) with **-describe** flag
- Source code package includes 440+ test cases
- C++, well documented
- Thanks to contractor Agilent Technologies



# tschk2 {-canonical\*} FILE

- **{-canonical | -canonical-v2}**
  - **TSI, TS2 → TS2**
  - Provides number of ports, frequencies and other information
  - Un-normalizes TSI Y-, Z-, G- and H-parameters and effective noise resistance
- **{-canonical-v1}**
  - **TSI, TS2 → TSI** where practical
  - Applies column formatting rules and 2-port 21\_12 ordering
  - Normalizes TS2 Y-, Z-, G- and H-parameters and effective noise resistance
  - No mixed mode or selectable reference resistance processing

# Projects, Activities

- IBIS Version 5.1 – improved AMI
  - ibischk5, Version 5.0.X – bug fixes, Version 5.1.0 with improvements
- Touchstone 2.1 – adds sparse matrix mapping and binary format
  - tschk2, Version 2.1.0
- IBIS Interconnect Subcircuit Spice (IBIS-ISS)
- Model Connection Protocol (MCP)
- Correlation specification in Quality task group
- IBIS summits, thanks Ralf Bruening and Eckhard Lenski for arranging the European IBIS Summits

